

A Systematic Review of Data Classification Models for Depression, Anxiety and Stress

K. Arumuganainar

Assistant professor, Ponjesly College Of Engineering - India

ABSTRACT

Depression, Anxiety and Stress (DAS) assumes a critical part in everybody's life and it is affected by different components in reality. Various explores uncover that there is a relationship between Stress, Depression and Anxiety. DAS can be brought about by a few reasons like ailment, game dependence, web-based media fixation, infection, understudy assessments, and so forth There are gigantic measures and strategies accessible to figure the level and seriousness of DAS. The Depression Anxiety Stress Scale (DASS) is the traditional technique for estimating DAS utilizing a 42-thing survey. This investigation inspects the different methodologies and techniques to dissect DAS with its impacting factors. This paper audits the current strategies with its goals, technique, factual examination, advantages and impediments. A correlation is additionally made dependent on objective, system, application region, and so on.

Keywords: DASS, Depression, Anxiety, Stress, Prediction, Data classification

I. INTRODUCTION

Depression, Anxiety and Stress (DAS) are the three primary issues which influences individuals everywhere on the world. The word depression comes from Latin "Depressus" addresses discouraged disposition, lack of engagement, liable inclination or low self confidence, restlessness or craving, less energy, and low consideration [1]. It become an obstruction to do day by day exercises and results to higher danger of carrying out wrongdoings such as self-injury, self-destruction, murder, and so on. An examination performed by WHO called attention to that 5% of individuals are experienced depression somewhat recently and it begins at the more youthful age itself. It influences the individual psychosocially and furthermore academically. There are a few components which impact DAS and a portion of the reasons are close to home issues, ailment, pregnancy, scholarly advancement, online media, debilitated understudies, and so on the prior ID of these issues are important to give treatment and diminishing the handicap in climate.

Since the medical care properties of human disease and sustenance inadequacy are diminishing, the awareness of psychological wellness is expanding. More noteworthy interest of screening apparatus emerges, where clinical staff can use, to perceive individuals influenced by DAS in the climate. The result of undetected and non-consideration of DAS prompts declines the personal satisfaction. It is obvious that DAS limits the individual to enthusiastically take an interest in the workplace, decreases the wellbeing and makes disappointment in family or public activity. Anxiety issue people shows no interest to include in the work place when contrasted with impaired or long-haul medical conditions [2], and discouraged people neglects to work successful or it is expected to diminish their

responsibility. An examination uncovered that being burdensome is the primary explanation of ending it all. It is additionally seen that 38% of suicides endeavoured because of serious depression and 75% were tried with burdensome manifestations.

The aftereffect of untreated DAS is practically equivalent or higher than the extreme medical problem like heart issue, disease, and so forth Legitimate treatment for DAS at right time is fundamental as prior discovery results to better outcomes for the people. The meaning of DAS testing in youngsters has been indicated, the previous recognition of DAS lessens the lifetime emotional well-being and social issues fundamentally. A few estimating scales are accessible for the expectation of estimating DAS. A portion of the estimating scales are Beck Depression Inventory (BDI), the Beck Anxiety Inventory (BAI), the Hospital Anxiety and Depression Scale (HADS), the Center for Epidemiological Studies Depression (CES-D), and the Depression Anxiety Stress Scales (DASS). In this paper, a broad audit is made on different DAS examination, DAS estimating scales and the effect of DAS in various types of individuals in different circumstances.

II. EXISTING DAS PREDICTION MODELS

[3] led an examination to evaluate the sufficiency and proof of the possibility of web conveyed treatment DAS in college understudies. This investigation is an open practicability trial of the SilverCloud programs for DAS. DAS are 8-module web conveyed BT (iCBT) mediation arrangement. The understudies are given an ally to offer input on improvement and preparing for once in seven days. Understudies go through a Patient Health

Questionnaire-9 (PHQ-9), Generalized Anxiety Disorder-7 (GAD-7), and (DASS-21). Information is assembled at benchmark, two months and 3-month consistently. It is unsurprising that this examination uncovers the program potential to diminish DAS among understudies and furthermore the techniques to be occupied with an impending preliminary. It is additionally noticed that the program will guide understudies to draw in with the projects, their client experience, and fulfillment through online conveyance framework.

[4] directed an investigation to break down the disorder of DAS on auxiliary school young ladies in Saudi Arabia. To play out the examination, Arabic variant of DASS-42 is utilized to scrutinize the auxiliary school young ladies. 545 female understudies are played out this investigation and practically 74% of young ladies has the indications of any one and half has at any rate two issues in DAS. The recurrence of manifestations of DAS is 42 %, 66.2% and 52% individually. The significant indications are in low to direct even out. The DAS scores are positive and significantly associated. No significant affiliation was seen among the young ladies' socio-segment highlights and the DAS scores. This investigation shows the significance of essential consideration doctors to deal with females; test and treat normal mental problems.

Cardiovascular breakdown is a serious sickness where DAS and passing assumption are consistently happened. [5] breaks down the connection between otherworldly wellbeing and DAS in cardiovascular breakdown patients. A few specialists showed that there is a connection between computer game compulsion and poor emotional wellness, yet extremely less exploration has clarified the relationship by deciding the interceding factors. There is a disarray to recognize the profoundly elaborate degree of computer games from compulsion. [6] introduced an investigation to dissect the transitional part to adapt up the proportion of computer game dependence and emotional wellness. [7] played out an investigation to distinguish the event and forecasters of DAS indications in Type II diabetes patients counseling government essential consideration offices in Klang Valley, Malaysia. This examination is directed in 12 irregular government Clinics. [8] conducted an examination to assess DAS levels of modern specialists in Bangalore city India and furthermore to break down the outcome on productivity of the business. A socio-segment and DASS-21 poll is utilized. An amount of 90 surveys was utilized for the examination. The information has been totally explored for affiliations and relationships.

[9] directed an examination to look at DAS on clinical college understudies utilizing DASS-42 and the relationship with their socio-segment and individual characters were recognized. DASS 42 is

utilized to assemble data on socio-segment and day by day propensities (smoking, drinking, scholastic outcomes). [10] played out an investigation to figure the degree of DAS in first year clinical understudies. 143 clinical understudies from India were taken as test and gathered information utilizing DASS-42. SPSS variant 16 is utilized for factual investigation and Pearson Chi-square is utilized for measurable importance. The outcomes show that the DAS level is altogether high.

III. CONCLUSION

DAS can be brought about by a few reasons like ailment, game dependence, web-based media fixation, infection, understudy assessments, and so forth There are gigantic measures and strategies accessible to figure the level and seriousness of DAS. The Depression Anxiety Stress Scale (DASS) is the traditional technique for estimating DAS utilizing a 42-thing survey. This investigation inspects the different methodologies and techniques to dissect DAS with its impacting factors. This paper audits the current strategies with its goals, technique, factual examination, advantages and impediments. A correlation is additionally made dependent on objective, system, application region, and so on.

REFERENCES

- [1] W. L, K. C, and C. S, "Consumer perspectives of the Australian Home Medicines Review Program: benefits and barriers," *Res Soc Adm Pharm*, vol. 8, no. 1, pp. 4–16, 2012.
- [2] "World Federation for Mental Health Depression: a global crisis. In: World Health Organization,," 2012. [Online]. Available: http://www.who.int/mental_health/management/depression/wfmh_paper_depression_wmhd_2012.pdf?ua=1.
- [3] W. PS, A. M, B. G, B. R, T. C. W, and G. G, "Delay and failure in treatment seeking after first onset of mental disorders in the World Health Organization's World Mental Health Survey Initiative,," *World Psychiatry*, vol. 6, no. 3, pp. 177–185, 2007.
- [4] E. D, G. SE, G. E, and H. JL, "Prevalence and correlates of depression, anxiety, and suicidality among university students," *Am J Orthopsychiatry*, vol. 77, no. 4, pp. 534– 542, 2007.
- [5] D. Greenberg PE, Sisitsky T, Kessler RC, Finkelstein SN, Berndt ER and F. A. JR, Ballenger JC, "The economic burden of anxiety disorders in the 1990s," *J Clin Psychiatry*, vol. 60, no. 7, pp. 427–435, 1999.

- [6] G. DP and L. Y.; Form and frequency of mental disorders across centres. In *Mental Illness in General Health Care*. NY: John Wiley & Sons, 1997.
- [7] M. MV and S. MB, "Quality of life in individuals with anxiety disorders.," *Amer J Psychiatry*, vol. 157, pp. 669–682, 2000.
- [8] W. G, C. D, W. P, and W. H, "Disability, employment and work performance among people with ICD-10 anxiety disorders.," *Aust NZ J Psychiatry*, vol. 39, pp. 55–66, 2005.
- [9] P. Frazier et al., "Acceptability and proof of concept of internet-delivered treatment for depression , anxiety , and stress in university students : protocol for an open feasibility trial," *Pilot Feasibility Stud.*, pp. 1–9, 2016.
- [10] M. Safavi, N. Oladrostam, M. Fesharaki, and Y. Fatahi, "An Investigation of the Relationship between Spiritual Health and Depression , Anxiety , and Stress in Patients with Heart Failure," vol. 3, no. 2, pp. 2–7, 2016.
- [11] Alzubi, O. A. (2015, September). Performance evaluation of AG block turbo codes over fading channels using BPSK. In *Proceedings of the The International Conference on Engineering & MIS 2015* (pp. 1-6).
- [12] Kavitha, M., & Palani, S. (2014). Hierarchical classifier for soft and hard exudates detection of retinal fundus images. *Journal of Intelligent & Fuzzy Systems*, 27(5), 2511-2528.
- [13] Anuradha, M., Jayasankar, T., Prakash, N. B., Sikkandar, M. Y., Hemalakshmi, G. R., Bharatiraja, C., & Britto, A. S. F. (2021). IoT enabled cancer prediction system to enhance the authentication and security using cloud computing. *Microprocessors and Microsystems*, 80, 103301.
- [14] S. Namasudra, S. Dhamodharavadhani, and R. Rathipriya, "Nonlinear neural network based forecasting model for predicting COVID-19 cases", *Neural Processing Letters*, 2021. DOI: 10.1007/s11063-021-10495-w
- [15] Elhoseny, M., & Shankar, K. (2019). Reliable data transmission model for mobile ad hoc network using signcryption technique. *IEEE Transactions on Reliability*, 69(3), 1077-1086.
- [16] Mukherjee, R., Kundu, A., Mukherjee, I., Gupta, D., Tiwari, P., Khanna, A., & Shorfuzzaman, M. (2021). IoT-cloud based healthcare model for COVID-19 detection: an enhanced k-Nearest Neighbour classifier based approach. *Computing*, 1-21.
- [17] Li, L., Sun, L., Xue, Y., Li, S., Huang, X., & Mansour, R. F. (2021). Fuzzy Multilevel Image Thresholding Based on Improved Coyote Optimization Algorithm. *IEEE Access*, 9, 33595-33607.
- [18] Alzubi, O. A. A deep learning-based frechet and dirichlet model for intrusion detection in IWSN. *Journal of Intelligent & Fuzzy Systems*, (Preprint), 1-11.
- [19] Kavitha, M., & Palani, S. (2014). Blood vessel, optical disk and damage area-based features for diabetic detection from retinal images. *Arabian Journal for Science and Engineering*, 39(10), 7059-7071.
- [20] Sangeetha J., Jayasankar T. (2019) Emotion Speech Recognition Based on Adaptive Fractional Deep Belief Network and Reinforcement Learning. In: Mallick P., Balas V., Bhoi A., Zobaa A. (eds) *Cognitive Informatics and Soft Computing. Advances in Intelligent Systems and Computing*, vol 768. Springer, Singapore. https://doi.org/10.1007/978-981-13-0617-4_16
- [21] S. Kumari, R. J. Yadav, S. Namasudra, and C. H. Hsu, "Intelligent deception techniques against adversarial attack on industrial system", *International Journal of Intelligent Systems*, vol. 36, no. 5, pp. 2412-2437, 2021. DOI: 10.1002/int.22384
- [22] Uthayakumar, J., Elhoseny, M., & Shankar, K. (2020). Highly reliable and low-complexity image compression scheme using neighborhood correlation sequence algorithm in WSN. *IEEE Transactions on Reliability*, 69(4), 1398-1423.
- [23] Chavhan, S., Gupta, D., Nagaraju, C., Rammohan, A., Khanna, A., & Rodrigues, J. J. (2021). An Efficient Context-Aware Vehicle Incidents Route Service Management for Intelligent Transport System. *IEEE Systems Journal*.
- [24] Mansour, R. F., El Amraoui, A., Nouaouri, I., Díaz, V. G., Gupta, D., & Kumar, S. (2021). Artificial Intelligence and Internet of Things Enabled Disease Diagnosis Model for Smart Healthcare Systems. *IEEE Access*, 9, 45137-45146.
- [25] Alzubi, O. A. (2016). An empirical study of irregular ag block turbo codes over fading channels. *arXiv preprint arXiv:1604.00564*.
- [26] Kavitha, M., & Palani, D. S. (2012). A New Fast Curvelet Transform with Morphological Operations based method for Extraction of Retinal blood vessels

- using Graphical User Interfacel. International Journal of Scientific & Engineering Research, 3(6).
- [27] Ramesh, S., Yaashuwanth, C., Prathibanandhi, K., Basha, A. R., & Jayasankar, T. (2021). An optimized deep neural network based DoS attack detection in wireless video sensor network. *Journal of Ambient Intelligence and Humanized Computing*, 1-14.
- [28] P. Pavithran, S. Mathew, S. Namasudra and P. Lorenz, "A novel cryptosystem based on DNA cryptography and randomly generated Mealy machine", *Computers & Security*, vol. 104, 2021. DOI: <https://doi.org/10.1016/j.cose.2020.102160>
- [29] Le, DN., Parvathy, V.S., Gupta, D. et al. IoT enabled depthwise separable convolution neural network with deep support vector machine for COVID-19 diagnosis and classification. *Int. J. Mach. Learn. & Cyber.* (2021). <https://doi.org/10.1007/s13042-020-01248-7>
- [30] Sekaran, R., Goddumarri, S. N., Kallam, S., Ramachandran, M., Patan, R., & Gupta, D. (2021). 5G Integrated Spectrum Selection and Spectrum Access using AI-based Frame work for IoT based Sensor Networks. *Computer Networks*, 186, 107649.
- [31] Zhang, Y. H., Li, Z., Zeng, T., Chen, L., Li, H., Gamarra, M., ... & Cai, Y. D. (2021). Investigating gene methylation signatures for fetal intolerance prediction. *Plos one*, 16(4), e0250032.
- [32] Alzubi, J. A. (2021). Blockchain-based Lamport Merkle Digital Signature: Authentication tool in IoT healthcare. *Computer Communications*, 170, 200-208.
- [33] Kavitha, M., & Palani, S. (2012). Retinal blood vessel segmentation algorithm for diabetic retinopathy and abnormality classification by supervised machine learning. *Int. J. Neural Netw. Appl*, 5(1), 47-53.
- [34] Jayanthi, J., Jayasankar, T., Krishnaraj, N., Prakash, N. B., Sagai Francis Britto, A., & Vinoth Kumar, K. (2021). An Intelligent Particle Swarm Optimization with Convolutional Neural Network for Diabetic Retinopathy Classification Model. *Journal of Medical Imaging and Health Informatics*, 11(3), 803-809.
- [35] S. Kumari and S. Namasudra, "System reliability evaluation using budget constrained real d-MC search", *Computer Communications*, vol. 171, 2021. DOI: <https://doi.org/10.1016/j.comcom.2021.02.004>
- [36] Shankar, K., Perumal, E. A novel hand-crafted with deep learning features based fusion model for COVID-19 diagnosis and classification using chest X-ray images. *Complex Intell. Syst.* (2020). <https://doi.org/10.1007/s40747-020-00216-6>
- [37] Mansour, R. F., & Aljehane, N. O. (2021). An optimal segmentation with deep learning based inception network model for intracranial hemorrhage diagnosis. *Neural Computing and Applications*, 1-13.
- [38] Alzubi, J. A. (2020). Bipolar fully recurrent deep structured neural learning based attack detection for securing industrial sensor networks. *Transactions on Emerging Telecommunications Technologies*, e4069.
- [39] Kavitha, M., Lavanya, G., & Janani, J. (2018). Enhanced SVM classifier for breast cancer diagnosis. *International Journal of Engineering Technologies and Management Research*, 5(3), 67-74.
- [40] Parvathy, P., Subramaniam, K., Venkatesan, G. P., Karthikaikumar, P., Varghese, J., & Jayasankar, T. (2020). Development of hand gesture recognition system using machine learning. *Journal of Ambient Intelligence and Humanized Computing*, 1-8.
- [41] S. Namasudra, "Data access control in the cloud computing environment for bioinformatics", *International Journal of Applied Research in Bioinformatics (IJARB)*, vol. 11, no. 1, pp. 40-50, 2021. DOI: 10.4018/IJARB.2021010105
- [42] K. Shankar, Y. Zhang, Y. Liu, L. Wu and C. Chen, "Hyperparameter Tuning Deep Learning for Diabetic Retinopathy Fundus Image Classification," in *IEEE Access*, vol. 8, pp. 118164-118173, 2020, doi: 10.1109/ACCESS.2020.3005152.
- [43] Mansour, R. F., & Abdelrahim, E. M. (2019). An evolutionary computing enriched RS attack resilient medical image steganography model for telemedicine applications. *Multidimensional Systems and Signal Processing*, 30(2), 791-814.
- [44] Alzubi, O. A., Alzubi, J. A., Dorgham, O., & Alsayed, M. (2020). Cryptosystem design based on Hermitian curves for IoT security. *The Journal of Supercomputing*, 76(11), 8566-8589.
- [45] Kavitha, M., & Palani, S. (2020). A comprehensive analysis for retinal image classification methods using real-time

- database. *International Journal of Business Information Systems*, 34(2), 229-252.
- [46] Nair, L. R., Subramaniam, K., PrasannaVenkatesan, G. K. D., Baskar, P. S., & Jayasankar, T. (2020). Essentiality for bridging the gap between low and semantic level features in image retrieval systems: an overview. *Journal of Ambient Intelligence and Humanized Computing*, 1-13.
- [47] S. Namasudra, "Fast and secure data accessing by using DNA computing for the cloud environment", *IEEE Transactions on Services Computing*, 2020. DOI: 10.1109/TSC.2020.3046471
- [48] Shankar, K., Sait, A. R. W., Gupta, D., Lakshmanaprabu, S. K., Khanna, A., & Pandey, H. M. (2020). Automated detection and classification of fundus diabetic retinopathy images using synergic deep learning model. *Pattern Recognition Letters*, 133, 210-216.
- [49] Abukharis, S., Alzubi, J. A., Alzubi, O. A., Alamri, S., & O'Farrell, T. (2016). Packet error rate performance of IEEE802.11g under bluetooth interface. arXiv preprint arXiv:1602.05556.
- [50] Kavitha, M., & Palani, S. (2015). Hierarchical Classifier For Microaneurysm Detection. *International Journal of Applied Engineering Research*, 10(1), 1449-1458.
- [51] Anuradha, M., Ganesan, V., Oliver, S., Jayasankar, T., & Gopi, R. (2020). Hybrid firefly with differential evolution algorithm for multi agent system using clustering based personalization. *Journal of Ambient Intelligence and Humanized Computing*, 1-10.
- [52] Hnatiuc, M., Geman, O., Avram, A. G., Gupta, D., & Shankar, K. (2021). Human Signature Identification Using IoT Technology and Gait Recognition. *Electronics*, 10(7), 852.
- [53] Miled, A. B., Dhaouadi, R., & Mansour, R. F. (2020). Knowledge Deduction and Reuse Application to the Products' Design Process. *International Journal of Software Engineering and Knowledge Engineering*, 30(02), 217-237.
- [54] S. Namasudra, R. Chakraborty, A. Majumder and N. R. Moparthi, "Securing multimedia by using DNA based encryption in the cloud computing environment", *ACM Transactions on Multimedia Computing, Communications, and Applications*, vol. 16, no. 3s, 2020. DOI: <https://doi.org/10.1145/3392665>
- [55] Shankar, K., & Elhoseny, M. (2019). Trust Based Cluster Head Election of Secure Message Transmission in MANET Using Multi Secure Protocol with TDES. *J. UCS*, 25(10), 1221-1239.
- [56] Chen, T. M., Blasco, J., Alzubi, J. A., & Alzubi O. A. (2014). Intrusion detection. *IET*, 1(1), 1-9.
- [57] Kavitha, M., Syedakbar, S., Meenal, T., Kumar, R. S., & Stonier, A. A. (2021, February). Enhanced Algorithm for Bio Metric Based Secret Data Hiding. In *IOP Conference Series: Materials Science and Engineering* (Vol. 1055, No. 1, p. 012126). IOP Publishing.
- [58] Punarselvam, E., Sikkandar, M. Y., Bakouri, M., Prakash, N. B., Jayasankar, T., & Sudhakar, S. (2020). Different loading condition and angle measurement of human lumbar spine MRI image using ANSYS. *Journal of Ambient Intelligence and Humanized Computing*, 1-14.
- [59] S. Namasudra, "An improved attribute-based encryption technique towards the data security in cloud computing", *Concurrency and Computation: Practice and Exercise*, vol. 31, no. 3, 2019. DOI: 10.1002/cpe.4364
- [60] Shankar, K., Lakshmanaprabu, S. K., Khanna, A., Tanwar, S., Rodrigues, J. J., & Roy, N. R. (2019). Alzheimer detection using Group Grey Wolf Optimization based features with convolutional classifier. *Computers & Electrical Engineering*, 77, 230-243.
- [61] Alrabea, A., Alzubi, O. A., & Alzubi, J. A. (2019). A task-based model for minimizing energy consumption in WSNs. *Energy Systems*, 1-18.
- [62] KAVITHA, M., GANESH, R., & RAJKUMAR, A. FACILITIES NAVIGATION ANDPATIENT MONITORING SYSTEM USING IBEACON TECHNOLOGY.
- [63] Kumar, K. V., Jayasankar, T., Eswaramoorthy, V., & Nivedhitha, V. (2020). SDARP: Security based Data Aware Routing Protocol for ad hoc sensor networks. *International Journal of Intelligent Networks*, 1, 36-42.
- [64] S. Namasudra and P. Roy, "Time saving protocol for data accessing in cloud computing", *IET Communications*, vol. 11, no. 10, pp. 1558-1565, 2017.
- [65] Shankar, K., Lakshmanaprabu, S. K., Gupta, D., Khanna, A., & de Albuquerque, V. H. C. (2020). Adaptive optimal multi key based encryption for digital image security. *Concurrency and Computation: Practice and Experience*, 32(4), e5122.
- [66] Mansour, R. F. (2017). Evolutionary computing enriched ridge regression

- model for craniofacial reconstruction. *Multimedia Tools and Applications*, 1-18.
- [67] Pustokhina, I. V., Pustokhin, D. A., Kumar Pareek, P., Gupta, D., Khanna, A., & Shankar, K. (2021). Energy-efficient cluster-based unmanned aerial vehicle networks with deep learning-based scene classification model. *International Journal of Communication Systems*, e4786.
- [68] Sholiyi, A., Alzubi, J. A., Alzubi, O. A., Almomani, O., & O'Farrell, T. (2016). Near capacity irregular turbo code. arXiv preprint arXiv:1604.01358.
- [69] Muthumayil, K., Buvana, M., & Jayasankar, T. (2021). Energy Utilization using Artificial Bee Colony Algorithm for Network Life Time Enhancement of Homogeneous WSNs. *International Journal of Modern Agriculture*, 10(2), 1649-1656.
- [70] S. Namasudra, R. Chakraborty, S. Kadry, G. Manogaran and B. S. Rawal, "FAST: Fast accessing scheme for data transmission in cloud computing", *Peer-to-Peer Networking and Applications*, 2020. DOI: 10.1007/s12083-020-00959-6
- [71] Mansour, R. F. (2015). Using adaptive mutation to accelerate the convergence of immune algorithms for prediction of 3D molecular structure. *International Journal of Computers and Applications*, 37(3-4), 127-133.
- [72] Shankar, K., Elhoseny, M., Kumar, R. S., Lakshmanaprabu, S. K., & Yuan, X. (2020). Secret image sharing scheme with encrypted shadow images using optimal homomorphic encryption technique. *Journal of Ambient Intelligence and Humanized Computing*, 11(5), 1821-1833.